

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05122
Certificate Rent-All-number: 002

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 3/5/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05123
 Certificate Rent-All-number: 003

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 2/26/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 2 Ton HH. 24 meter*
Dimensions: *chain diameter 7 x 22 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *D10077*
Certificate Rent-All-number: *007*

Strength

Proof load applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *5/6/2014*
Date of last test : *10/11/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05127
Certificate Rent-All-number: 008

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 11/1/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05132*
 Certificate Rent-All-number: *013*

Strength

Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*

Date of last test : *4/26/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05133
Certificate Rent-All-number: 014

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 11/1/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05134
 Certificate Rent-All-number: 015

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 2/5/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK
 handles ✓
 casing ✓
 chain bag + safety ✓
 power plug ✓
 power cord ✓

Regular Test OK
 dead end stopper ✓
 screw connections ✓
 hook suspension ✓
 chain ✓
 hook tackle / block ✓

Inside inspection OK
 electric wiring ✓
 brake system ✓
 brake frame screws ✓
 lift wheel ✓
 chain guide ✓

Final test OK
 load test ✓
 chain ✓
 brake test ✓
 overload test ✓

Overall OK
 CE - Marking ✓
 A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05137
Certificate Rent-All-number: 018

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 5/10/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05138*
 Certificate Rent-All-number: *019*

Strength

Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*
 Date of last test : *9/10/2019*
 * Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer:	Chainmaster
Description:	Chainmaster D8 2 Ton HH. 24 meter
Dimensions:	chain diameter 7 x 22 mm parten 2
Material:	steel + aluminium
Heat treatment:	non glowing
Identification number:	H05139
Certificate Rent-All-number:	020

Strength

Proof load applied:	12,5 kN single part
Working load limit:	2000 KG
Safety factor:	4:01

Manufacturing date:	6/13/2017
Date of last test :	9/10/2019
* Date notation used :	MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05141*
 Certificate Rent-All-number: *022*

Strength

Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*
 Date of last test : *10/4/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05144
 Certificate Rent-All-number: 025

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 11/1/2019
 * Date notation used : MM/DD/YYYY

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05145
Certificate Rent-All-number: 026

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 2/10/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmels / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access. OK

handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK

dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK

electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK

load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK

CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05148*
 Certificate Rent-All-number: *029*

Strength
 Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*
 Date of last test : *9/10/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer


Pieter Langen

Hoist parts and access. **OK**
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test **OK**
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection **OK**
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test **OK**
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall **OK**
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05149
Certificate Rent-All-number: 030

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 2/5/2020

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05152*
 Certificate Rent-All-number: *033*

Strength

Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*

Date of last test : *11/8/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05153
Certificate Rent-All-number: 034

Strength
Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017
Date of last test : 9/19/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05154*
 Certificate Rent-All-number: *035*

Strength

Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*
 Date of last test : *11/1/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
 Description: Chainmaster D8 2 Ton HH. 24 meter
 Dimensions: chain diameter 7 x 22 mm parten 2
 Material: steel + aluminium
 Heat treatment: non glowing
 Identification number: H05155
 Certificate Rent-All-number: 037

Strength

Proof load applied: 12,5 kN single part
 Working load limit: 2000 KG
 Safety factor: 4:01

Manufacturing date: 6/13/2017
 Date of last test : 11/1/2019
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
 Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05157*
 Certificate Rent-All-number: *039*

Strength

Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*

Date of last test : *6/12/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 2 Ton HH. 24 meter*
Dimensions: *chain diameter 7 x 22 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H05158*
Certificate Rent-All-number: *040*

Strength

Proof load applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *6/13/2017*

Date of last test : *9/11/2019*

* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05161
Certificate Rent-All-number: 044

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017
Date of last test : 10/11/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓

Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓

Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓

Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓

Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05162
Certificate Rent-All-number: 045

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 10/4/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 2 Ton HH. 24 meter*
Dimensions: *chain diameter 7 x 22 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H05166*
Certificate Rent-All-number: *049*

Strength

Proof load applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *6/13/2017*
Date of last test : *9/19/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓

Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓

Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓

Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓

Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05171
Certificate Rent-All-number: 056

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017
Date of last test : 9/11/2019
* Date notation used : MM/DD/YYYY

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. OK
handles ✓
casing ✓
chain bag + safety ✓
power plug ✓
power cord ✓

Regular Test OK
dead end stopper ✓
screw connections ✓
hook suspension ✓
chain ✓
hook tackle / block ✓

Inside inspection OK
electric wiring ✓
brake system ✓
brake frame screws ✓
lift wheel ✓
chain guide ✓

Final test OK
load test ✓
chain ✓
brake test ✓
overload test ✓

Overall OK
CE - Marking ✓
A3 / NEN3140 ✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: *Chainmaster*
Description: *Chainmaster D8 2 Ton HH. 24 meter*
Dimensions: *chain diameter 7 x 22 mm parten 2*
Material: *steel + aluminium*
Heat treatment: *non glowing*
Identification number: *H05172*
Certificate Rent-All-number: *057*

Strength

Proof load applied: *12,5 kN single part*
Working load limit: *2000 KG*
Safety factor: *4:01*

Manufacturing date: *6/13/2017*
Date of last test : *9/10/2019*
* Date notation used : *MM/DD/YYYY*

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Langen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Chainmaster
Description: Chainmaster D8 2 Ton HH. 24 meter
Dimensions: chain diameter 7 x 22 mm parten 2
Material: steel + aluminium
Heat treatment: non glowing
Identification number: H05175
Certificate Rent-All-number: 060

Strength

Proof load applied: 12,5 kN single part
Working load limit: 2000 KG
Safety factor: 4:01

Manufacturing date: 6/13/2017

Date of last test : 9/11/2019

* Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
handles	✓
casing	✓
chain bag + safety	✓
power plug	✓
power cord	✓
Regular Test	OK
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	OK
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	OK
load test	✓
chain	✓
brake test	✓
overload test	✓
Overall	OK
CE - Marking	✓
A3 / NEN3140	✓

Certificate of hoisting equipment Chainmaster

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: *Chainmaster*
 Description: *Chainmaster D8 2 Ton HH. 24 meter*
 Dimensions: *chain diameter 7 x 22 mm parten 2*
 Material: *steel + aluminium*
 Heat treatment: *non glowing*
 Identification number: *H05177*
 Certificate Rent-All-number: *062*

Strength
 Proof load applied: *12,5 kN single part*
 Working load limit: *2000 KG*
 Safety factor: *4:01*

Manufacturing date: *6/13/2017*
 Date of last test : *11/1/2019*
** Date notation used : MM/DD/YYYY*

Name and address of supplier:
Rent-All BV / Kazematten 21 / 6681 CS Bommel / The Netherlands

Signature of competent engineer



Pieter Longen

Hoist parts and access.	OK
<i>handles</i>	✓
<i>casing</i>	✓
<i>chain bag + safety</i>	✓
<i>power plug</i>	✓
<i>power cord</i>	✓
Regular Test	OK
<i>dead end stopper</i>	✓
<i>screw connections</i>	✓
<i>hook suspension</i>	✓
<i>chain</i>	✓
<i>hook tackle / block</i>	✓
Inside inspection	OK
<i>electric wiring</i>	✓
<i>brake system</i>	✓
<i>brake frame screws</i>	✓
<i>lift wheel</i>	✓
<i>chain guide</i>	✓
Final test	OK
<i>load test</i>	✓
<i>chain</i>	✓
<i>brake test</i>	✓
<i>overload test</i>	✓
Overall	OK
<i>CE - Marking</i>	✓
<i>A3 / NEN3140</i>	✓

BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • CASTROP-RAUXEL • NÜRNBERG • LIER • BEMMEL • AMSTERDAM • AMSTERDAM • NÜRNBERG • LIER • BEMMEL • AMSTERDAM