

LIGHT | VIDEO | SOUND | RIGGING

Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2892WX

Certificate Rent-All-number: 001

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2894WX

Certificate Rent-All-number: 002

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL2896WX

Certificate Rent-All-number: 003

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2898WX

Certificate Rent-All-number: 004

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 2/19/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	4
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	~
chain	4
hook tackle / block	4
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2881WX

Certificate Rent-All-number: 005

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langa

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	V
screw connections	~
hook suspension	Ý
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	1
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL2886WX

Certificate Rent-All-number: 006

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 ~

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ок
load test	V
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2893WX

Certificate Rent-All-number: 007

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL2891WX

Certificate Rent-All-number: 008

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter **Dimensions:** chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL2893WX

Certificate Rent-All-number: 009

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG 4:01 Safety factor:

Manufacturing date: 10/1/2015 Date of last test: 5/14/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4255WZ

Certificate Rent-All-number: 010

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4258WZ

Certificate Rent-All-number: 011

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. ОК handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4260WZ

Certificate Rent-All-number: 012

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	V
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4261WZ

Certificate Rent-All-number: 013

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4265WZ

Certificate Rent-All-number: 014

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	\checkmark
Pomulan Tost	OK
Regular Test	OK
dead end stopper	×.
screw connections	4
hook suspension	×,
chain	~
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	1
lift wheel	~
chain guide	4
Final test	ОК
load test	V
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	1



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4266WZ

Certificate Rent-All-number: 015

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	4
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment

Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4267WZ

Certificate Rent-All-number: 016

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4268WZ

Certificate Rent-All-number: 017

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	V
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4269WZ

Certificate Rent-All-number: 018

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/16/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	V
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4270WZ

Certificate Rent-All-number: 019

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ОК
load test	1
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4271WZ

Certificate Rent-All-number: 020

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/16/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	OK
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4272WZ

Certificate Rent-All-number: 021

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ОК
load test	1
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7062WZ

Certificate Rent-All-number: 022

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	\checkmark
chain	4
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7067WZ

Certificate Rent-All-number: 023

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	Y Y Y
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	V
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ОК
load test	~
choin	1
brake test	~
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter **Dimensions:** chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL7069WZ

Certificate Rent-All-number: 024

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG 4:01 Safety factor:

Manufacturing date: 12/1/2015 Date of last test: 5/14/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	V
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7070WZ

Certificate Rent-All-number: 025

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	✓
lift wheel	~
chain guide	4
Final test	ОК
load test	1
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter **Dimensions:** chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

non glowing Identification number: NL7072WZ

Certificate Rent-All-number: 026

Strength

Heat treatment:

Proof load applied: 12,5 kN Working load limit: 1000 KG 4:01 Safety factor:

Manufacturing date: 12/1/2015 Date of last test: 5/14/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7073WZ

Certificate Rent-All-number: 027

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langa

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	4
Regular Test	ОК
dead end stopper	V
screw connections	V
hook suspension	~
chain	4
hook tackle / block	4
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	~
lift wheel	~
chain guide	✓
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL7071WZ

Certificate Rent-All-number: 028

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7090WZ

Certificate Rent-All-number: 029

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter **Dimensions:** chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL7091WZ

Certificate Rent-All-number: 030

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG 4:01 Safety factor:

Manufacturing date: 12/1/2015 Date of last test: 5/14/2019 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	44
power plug	\checkmark
power cord	V
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	4
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ОК
load test	~
chain	1
brake test	~
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL7099WZ

Certificate Rent-All-number: 031

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL1340XF

Certificate Rent-All-number: 032

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langa

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	44
power plug	\checkmark
power cord	V
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	4
chain	\checkmark
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ОК
load test	~
chain	1
brake test	~
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL1342XF

Certificate Rent-All-number: 033

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 11/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	V
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3289XE

Certificate Rent-All-number: 034

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

7.0

Pieter Langen

rioist parts arra accessi	0
handles	\checkmark
casing	~
chain bag	~
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	~
hook suspension	~
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	1

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6018XE

Certificate Rent-All-number: 035

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6019XE

Certificate Rent-All-number: 036

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

1.00

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	4
hook suspension	\checkmark
chain	\checkmark
hook tackle / block	✓
Inside inspection	ОК
electric wiring	V
brake system	~
brake frame screws	~
lift wheel	~
chain guide	*
Final test	ОК
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL6020XE

Certificate Rent-All-number: 037

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Farge

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL6026XE

Certificate Rent-All-number: 038

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of any

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6027XE

Certificate Rent-All-number: 039

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of any

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6031XE

Certificate Rent-All-number: 040

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	OK
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6032XE

Certificate Rent-All-number: 041

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6033XE

Certificate Rent-All-number: 042

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	OK
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3255XG

Certificate Rent-All-number: 043

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 2/13/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL3261XG

Certificate Rent-All-number: 044

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL3263XG

Certificate Rent-All-number: 045

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 5/14/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3265XG

Certificate Rent-All-number: 046

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 2/13/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



LIGHT | VIDEO | SOUND | RIGGING

Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3266XG

Certificate Rent-All-number: 047

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Laugu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3287XG

Certificate Rent-All-number: 048

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL3288XG

Certificate Rent-All-number: 049

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 2/14/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3398XD

Certificate Rent-All-number: 050

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 4/1/2016

Date of last test: 5/14/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	~
power plug	~
power cord	4
Regular Test	ок
dead end stopper	V
screw connections	~
hook suspension	Ý
chain	1
hook tackle / block	4
Inside inspection	ок
electric wiring	1
brake system	~
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3290XG

Certificate Rent-All-number: 051

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 1/16/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	~
power cord	4
Regular Test	ок
dead end stopper	~
screw connections	~
hook suspension	~
chain	~
hook tackle / block	4
Inside inspection	ок
electric wiring	~
brake system	1
brake frame screws	~
lift wheel	~
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	4
A3 / NEN3140	~

IBAN: NL89 ABNA 0244 7231 68 * BIC: ABNANL2A * BTW nr. NL800733484 B01 * KvK nr. 10037697



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4256WZ

Certificate Rent-All-number: 056

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/14/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7063WZ

Certificate Rent-All-number: 057

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/14/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

NL6024XE

Material: steel + aluminium

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 058

Identification number:

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	OK
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4257WZ

Certificate Rent-All-number: 059

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 6/13/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL6028XE

Certificate Rent-All-number: 060

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter **Dimensions:** chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL3257XG

Certificate Rent-All-number: 061

Strength

Proof load applied: 12,5 kN Working load limit: 1000 KG 4:01 Safety factor:

Manufacturing date: 7/1/2016 Date of last test: 2/14/2020 * Date notation used : MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag	\checkmark
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	4
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	1



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3262XG

Certificate Rent-All-number: 062

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 6/13/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langa

Hoist parts and access.	ОК
handles	~
casing	\checkmark
chain bag	\checkmark
power plug	~
power cord	~
Regular Test	ОК
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	4
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	1



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3264XG

Certificate Rent-All-number: 063

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2885WX

Certificate Rent-All-number: 064

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 6/13/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Jang

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4273WZ

Certificate Rent-All-number: 065

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 6/13/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles

ОК



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL7092WZ

Certificate Rent-All-number: 066

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/16/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4264WZ

Certificate Rent-All-number: 068

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 1/16/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2889WX

Certificate Rent-All-number: 069

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 2/13/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	1
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4254WZ

Certificate Rent-All-number: 070

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 6/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	1
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL1345XF

Certificate Rent-All-number: 071

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 6/21/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	1
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL4259WZ

Certificate Rent-All-number: 072

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 6/21/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fangu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4263WZ

Certificate Rent-All-number: 073

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Dange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	OK
CE - Marking	4
A3/NEN3140	~



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL6030XE

Certificate Rent-All-number: 074

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 6/1/2016

Date of last test: 6/21/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4262WZ

Certificate Rent-All-number: 075

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 6/21/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



LIGHT | VIDEO | SOUND | RIGGING

Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing Identification number: NL3286XG

Certificate Rent-All-number: 076

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 2/14/2020

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V
power plug	\checkmark
power cord	\checkmark
Regular Test	ОК
dead end stopper	~
screw connections	~
hook suspension	Y
chain	\checkmark
hook tackle / block	\checkmark
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	1
Overall	OK
CE - Marking	4
A3/NEN3140	~



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7064WZ

Certificate Rent-All-number: 077

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 6/21/2019

* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL3278XG

Certificate Rent-All-number: 078

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 7/1/2016

Date of last test: 11/19/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	V V V
power plug	\checkmark
power cord	✓
Regular Test	ОК
dead end stopper	V
screw connections	1
hook suspension	V
chain	1
hook tackle / block	4
Inside inspection	ОК
electric wiring	\checkmark
brake system	\checkmark
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	1
overload test	1
Overall	ок
CE - Marking	4
A3/NEN3140	V



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter

Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL7088WZ

Certificate Rent-All-number: 079

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 12/1/2015

Date of last test: 11/20/2019

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4



Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM-lodestar DC 1 Ton HH. 30 meter
Dimensions: chain diameter 7,9 x 21,7 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2884WX

Certificate Rent-All-number: 085

Strength

Proof load applied: 12,5 kNWorking load limit: 1000 KGSafety factor: 4:01

Manufacturing date: 10/1/2015

Date of last test: 2/13/2020

* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

Hoist parts and access.	ОК
handles	\checkmark
casing	\checkmark
chain bag	Y Y Y
power plug	\checkmark
power cord	4
Regular Test	ок
dead end stopper	\checkmark
screw connections	\checkmark
hook suspension	Y
chain	\checkmark
hook tackle / block	~
Inside inspection	ок
electric wiring	~
brake system	V V V V
brake frame screws	\checkmark
lift wheel	\checkmark
chain guide	~
Final test	ок
load test	~
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	4