

#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL0197WQ

Certificate Rent-All-number: 001

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of ango

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	✓
chain guide	4
Final test	ОК
load test	OK -
chain	1
brake test	-
overload test	
nvelionn fezt	
Overall	ОК
CE - Marking	1
A3/NEN3140	<b>*</b>



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL0198WQ

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 002

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015


Date of last test: 10/28/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL0200WQ

Certificate Rent-All-number: 003

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015


Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL0202WQ

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 004

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 1/6/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	~
casing	✓
chain bag	4
power plug	✓
power cord	4
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	× ×
chain	✓
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	$\checkmark$
brake frame screws	4
lift wheel	<b>~</b>
chain guide	<b>\</b>
Final test	ок
load test	1
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	1

Hoist parts and access.



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL0203WQ

Certificate Rent-All-number: 005

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 11/15/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pay

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	~
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	4
chain guide	$\checkmark$
Final test	ок
load test	<b>~</b>
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1
7.5 / NENSITO	



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL0204WQ

Certificate Rent-All-number: 006

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015


Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL0205WQ

Certificate Rent-All-number: 007

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/28/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pary

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	✓
chain guide	4
Final test	ОК
load test	OK -
chain	1
brake test	-
overload test	
nvelionn fezt	
Overall	ОК
CE - Marking	1
A3/NEN3140	<b>*</b>



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL0207WQ

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 008

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non alowina

Heat treatment: non glowing Identification number: NL1137WQ

Certificate Rent-All-number: 009

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1138WQ* 

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 010

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/12/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1139WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 011

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/6/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL1140WQ

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 012

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 12/4/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL1141WQ

Certificate Rent-All-number: 013

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/5/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 ~

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	~
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	$\checkmark$
Final test	ок
load test	<b>~</b>
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1
7.5 / NENSITO	



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL1142WQ

Certificate Rent-All-number: 014

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag	4
power plug	4
power cord	~
Regular Test	ОК
dead end stopper	✓
screw connections	$\checkmark$
hook suspension	~
chain	$\checkmark$
hook tackle / block	~
Inside inspection	ОК
electric wiring	✓
brake system	~
brake frame screws	<b>*</b>
lift wheel	~
chain guide	~
Final test	ОК
load test	✓
chain	✓
brake test	4
overload test	4
Overall	ОК
CE - Marking	1

A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1145WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 015

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 4

Pieter Langen

handles	~
casing	<b>~</b>
chain bag	<b>~</b>
power plug	<b>~</b>
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	4
chain	✓
hook tackle / block	~
Inside inspection	ОК
electric wiring	~
brake system	~
brake frame screws	<b>* * *</b>
lift wheel	~
chain guide	~
Final test	ОК
load test	~
chain	~
brake test	4
overload test	~
Overall	ОК
CE - Marking	1
A3/NEN3140	<b>~</b>

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1160WQ* 

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 016

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/12/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access. ОК handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1161WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 017

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 4

Pieter Langen

Hoist parts and access.	ОК
handles	<b>V</b>
casing	<b>V</b>
chain bag	<b>V</b>
power plug	<b>~</b>
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	4
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	$\checkmark$
chain guide	4
Final test	ок
load test	<b>V</b>
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	1

A3 / NEN3140



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1162WQ* 

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 018

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/29/2019


\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

1441





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1163WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 019

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 2/4/2020

\* Date no to tion used: MM/DD/YYYY

#### Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

#### Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	~
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	$\checkmark$
Final test	ок
load test	<b>~</b>
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1
7.5 / NENSITO	



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL1165WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 020

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 11/13/2015

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

#### Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

#### Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	~
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	$\checkmark$
Final test	ок
load test	<b>~</b>
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1
7.5 / NENSITO	



LIGHT VIDEO : SOUND KIGGING

# Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL6047XM

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 021

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/9/2017

Date of last test: 12/4/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL6048XM

Certificate Rent-All-number: 022

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/9/2017

Date of last test: 1/28/2020

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL6049XM

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 023

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/9/2017

Date of last test: 1/9/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL6050XM

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 024

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/9/2017

Date of last test: 10/28/2019

\* Date no to tion used: MM/DD/YYYY

#### Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

#### Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	~
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	$\checkmark$
Final test	ок
load test	<b>~</b>
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1
7.5 / NENSITO	



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL6051XM

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 025

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/9/2017

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

4 4

Pieter Langen

Hoist parts and access.	ОК
handles	~
casing	~
chain bag	4
power plug	$\checkmark$
power cord	$\checkmark$
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	4
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	4
lift wheel	$\checkmark$
chain guide	$\checkmark$
Final test	ОК
load test	$\checkmark$
chain	~
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
10 (11510110	

A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2924XU

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 026

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

1940

Pieter Langen

HUIS	t purts und access.	OK
han	dles	<b>~</b>
casii	ng	$\checkmark$
chai	n bag	$\checkmark$
pow	er plug	$\checkmark$
pow	er cord	4
Real	ular Test	ок
	d end stopper	<b>✓</b>
	w connections	V
	k suspension	1
chai		1
hoo	k tackle / block	1
Insid	de inspection	ОК
elect	tric wiring	<b>~</b>
brak	e system	$\checkmark$
brak	e frame screws	Y Y Y
lift v	vheel	<b>~</b>
chai	n guide	4
Fina	l test	ок
load	l test	<b>V</b>
chai	'n	<b>V</b>
brak	e test	1
over	load test	4
Ove	rall	ОК
CE-	Marking	~
	NEN3140	<b>~</b>

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2926XU

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 027

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:NL5505XT

Certificate Rent-All-number: 028

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

# Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar D8 2 Ton HH. 30 meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL2927XU

Certificate Rent-All-number: 029

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/30/2018

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lange

l	
handles	$\checkmark$
casing	$\checkmark$
chain bag	Y /
power plug	$\checkmark$
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	$\checkmark$
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>V</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	$\checkmark$
chain guide	<b>~</b>
Final test	ок
load test	<b>~</b>
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	<b>~</b>



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2925XU

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 030

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL5503XT

Certificate Rent-All-number: 031

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/30/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL5504XT

Certificate Rent-All-number: 032

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 9/1/2017

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar D8 2 Ton HH. 30 meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing
Identification number: NL4669YE

Certificate Rent-All-number: 033

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/26/2018

Date of last test: 1/23/2020

\* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Langu

l	
handles	$\checkmark$
casing	$\checkmark$
chain bag	Y /
power plug	$\checkmark$
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	$\checkmark$
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>V</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	$\checkmark$
chain guide	<b>~</b>
Final test	ок
load test	<b>~</b>
chain	1
brake test	~
overload test	1
Overall	ОК
CE - Marking	4
A3 / NEN3140	<b>~</b>



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL4671YE

Certificate Rent-All-number: 034

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/29/2018

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of a competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL4672YE

Certificate Rent-All-number: 035

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/29/2018

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Hoist parts and access.	ОК
handles	<b>~</b>
casing	$\checkmark$
chain bag	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
power plug	$\checkmark$
power cord	$\checkmark$
Demoles Test	01/
Regular Test	OK
dead end stopper	Ž
screw connections	×,
hook suspension	Y Y Y
chain	×.
hook tackle / block	~
Inside inspection	ОК
electric wiring	<b>V</b>
brake system	×
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	4
Final test	ок
load test	1
chain	1
brake test	1
overload test	4
Overall	ОК
CE - Marking	~
A3 / NEN3140	1
	_



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2700XD

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 036

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

# Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2503XF

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 037

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 10/29/2019

\* Date no to tion used: MM//DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Lango

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	<b>~</b>
chain bag	V V
power plug	$\checkmark$
power cord	$\checkmark$
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	$\checkmark$
chain guide	$\checkmark$
Final test	ОК
load test	<b>~</b>
chain	<b>×</b>
brake test	4
overload test	~
Overall	ок
CE - Marking	1
A3/NEN3140	<b>~</b>

IBAN: NL89 ABNA 0244 7231 68 \* BIC: ABNANL2A \* BTW nr. NL800733484 B01 \* KvK nr. 10037697



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2705XD

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 038

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019


Date of last test: 10/30/2019

\* Date no to tion used: MM//DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2706XD

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 039

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019


Date of last test: 11/15/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL2502XF

Certificate Rent-All-number: 040

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK

CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

chain bag

power plug

casing



#### Columbus McKinnon Corp.

Certificate of hoisting equipment

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2707XD

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 041

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 10/29/2019

\* Date no to tion used: MM/DD/YYYY

#### Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

#### Signature of competent engineer

Langu

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	$\checkmark$
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	$\checkmark$
Final test	ок
load test	<b>✓</b>
chain	V
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	~
	-



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL2501XF

Certificate Rent-All-number: 042

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 10/25/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag	$\checkmark$
power plug	4
power cord	4
Regular Test	ок
dead end stopper	✓
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	$\checkmark$
hook tackle / block	4
Inside inspection	ок
electric wiring	1
brake system	<b>~</b>
brake frame screws	4
lift wheel	✓
chain guide	4
Final test	ок
load test	✓
chain	✓
brake test	1
overload test	4
Overall	ок
CE - Marking	1
A3/NEN3140	<b>*</b>

Hoist parts and access



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL2504XF

Certificate Rent-All-number: 043

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019


Date of last test: 11/4/2019

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2709XD

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 044

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 11/4/2019

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles

casing



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL2053YK

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 045

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/21/2019

Date of last test: 11/15/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Fango

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	<b>~</b>
chain bag	<b>~</b>
power plug	<b>~</b>
power cord	<b>~</b>
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	4
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	$\checkmark$
chain guide	4
Final test	ок
load test	<b>V</b>
chain	1
brake test	1
overload test	4
Overall	ок
CE - Marking	1

A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL2500XF

Certificate Rent-All-number: 046

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019

Date of last test: 11/15/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block ОК Inside inspection electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL2505XF

Certificate Rent-All-number: 047

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 7/2/2019


Date of last test: 11/15/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL3030XZ

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 048

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/26/2018

Date of last test: 12/9/2019

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



2011

# Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL0501XK

Certificate Rent-All-number: 049

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/29/2018

Date of last test: 12/9/2019

\* Date notation used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

of any

Pieter Langen

Hoist parts and access.	ОК
handles	<b>~</b>
casing	<b>~</b>
chain bag	V V
power plug	$\checkmark$
power cord	$\checkmark$
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	$\checkmark$
chain guide	$\checkmark$
Final test	ОК
load test	<b>~</b>
chain	<b>×</b>
brake test	4
overload test	~
Overall	ок
CE - Marking	1
A3/NEN3140	<b>~</b>



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL0503XK

Certificate Rent-All-number: 050

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/29/2018

Date of last test: 12/9/2019

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

pas

Pieter Langen

Hoist parts and access.	ОК
handles	✓
casing	✓
chain bag	<b>~</b>
power plug	$\checkmark$
power cord	$\checkmark$
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	$\checkmark$
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	$\checkmark$
lift wheel	$\checkmark$
chain guide	$\checkmark$
Final test	ОК
load test	$\checkmark$
chain	4
brake test	4
overload test	4
Overall	ОК
CE - Marking	1

A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL0505XK

Certificate Rent-All-number: 051

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/29/2018


Date of last test: 12/9/2019

\* Date no to tion used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL3029XZ

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 052

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/26/2018

Date of last test: 12/27/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

part

Hoist parts and access.	ОК
handles	<b>~</b>
casing	✓
chain bag	4
power plug	✓
power cord	~
_ ,	•
Regular Test	ОК
dead end stopper	<b>~</b> .
screw connections	~
hook suspension	~
chain	$\checkmark$
hook tackle / block	<b>~</b>
Inside inspection	ОК
electric wiring	<b>~</b>
brake system	<b>~</b>
brake frame screws	<b>~</b>
lift wheel	<b>~</b>
chain guide	$\checkmark$
Final test	ок
load test	<b>✓</b>
chain	V
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	~
	-



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL3028XZ

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 053

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/26/2018

Date of last test: 1/28/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL3026XZ

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 054

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 6/26/2018

Date of last test: 1/28/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL2752WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 057

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 3/1/2015

Date of last test: 10/21/2019

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL2755WQ* 

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 058

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 3/1/2015

Date of last test: 1/15/2020

\* Date notation used: MM/DD/YYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

Hoist parts and access.	ОК
handles	$\checkmark$
casing	$\checkmark$
chain bag	4
power plug	$\checkmark$
power cord	$\checkmark$
Regular Test	ОК
dead end stopper	$\checkmark$
screw connections	$\checkmark$
hook suspension	V V V
chain	$\checkmark$
hook tackle / block	$\checkmark$
Inside inspection	ОК
electric wiring	$\checkmark$
brake system	$\checkmark$
brake frame screws	4
lift wheel	$\checkmark$
chain guide	$\checkmark$
Final test	ОК
load test	$\checkmark$
chain	$\checkmark$
brake test	1
overload test	~
Overall	ОК
CE - Marking	1
10 (11510110	

A3 / NEN3140



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

NL6369WQ

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 059

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 5/1/2016

Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

# Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium

Heat treatment: non glowing

Identification number: NL2760WQ

Certificate Rent-All-number: 060

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 3/1/2015


Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL2757WQ* 

Material:steel + aluminiumHeat treatment:non glowing

Certificate Rent-All-number: 061

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 3/1/2015

Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.

handles



#### Certificate of hoisting equipment

#### Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL2140WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 062

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 5/1/2016

Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL2143WQ

Certificate Rent-All-number: 063

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 5/1/2016

Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL2767WQ* 

Material: steel + aluminium

Heat treatment: non glowing

Certificate Rent-All-number: 064

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 3/1/2015


Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer





The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

*NL2759WQ* 

Material: steel + aluminium
Heat treatment: non glowing

Certificate Rent-All-number: 065

Identification number:

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 3/1/2015

Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



LIGHT VIDEO SOUND RIGGING

# Certificate of hoisting equipment Columbus McKinnon Corp.

The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminiumHeat treatment: non glowingIdentification number: NL2145WQ

Certificate Rent-All-number: 066

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 5/1/2016

Date of last test: 1/15/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking

A3 / NEN3140

Hoist parts and access.

handles



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

meter

Dimensions: chain diameter 10,0 x 30,0 mm parten 1

Material:steel + aluminiumHeat treatment:non glowingIdentification number:NL6375WQ

Certificate Rent-All-number: 067

Strength

Proof load applied: 24 kNWorking load limit: 2000 KGSafety factor: 4:01

Manufacturing date: 5/1/2016

Date of last test: 2/19/2020

\* Date no to tion used: MM/DD/YYYY

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles casing chain bag power plug power cord ОК Regular Test dead end stopper screw connections hook suspension chain hook tackle / block Inside inspection ОК electric wiring brake system brake frame screws lift wheel chain guide Final test ОК load test chain brake test overload test Overall OK CE - Marking A3 / NEN3140

Hoist parts and access.



The undersigned certifies on behalf of this company, that below particulars are correct and that the described hoisting equipment and all the used parts are according to the regulations of the EG Machinery Directive 2006/42/EG, appendix II-A. The assembling, examination and test was carried out under supervision of à competent engineer.

Manufacturer: Columbus McKinnon Corp.

Description: CM RRS Lodestar DC D8 2 Ton HH. 30

**Dimensions:** chain diameter 10,0 x 30,0 mm parten 1

Material: steel + aluminium Heat treatment: non glowing Identification number: *NL2754WQ* 

Certificate Rent-All-number: 068

Strength

Proof load applied: 24 kN 2000 KG Working load limit: Safety factor: 4:01

Manufacturing date: 3/1/2015 Date of last test: 2/19/2020 MM/DD/YYYY \* Date notation used :

Name and address of supplier:

Rent-All BV / Kazematten 21 / 6681 CS Bemmel / The Netherlands

Signature of competent engineer

Pieter Langen

handles	~
casing	✓
chain bag	✓
power plug	✓
power cord	✓
Regular Test	ОК
dead end stopper	✓
screw connections	✓
hook suspension	✓
chain	✓
hook tackle / block	✓
Inside inspection	ОК
electric wiring	✓
brake system	✓
brake frame screws	✓
lift wheel	✓
chain guide	✓
Final test	ОК
load test	✓
chain	<b>~</b>
brake test	1
overload test	4
Overall	ОК
CE - Marking	1
A3 / NEN3140	1

Hoist parts and access.

handles